




1 Phase Noise

1 Clrw Lin Smth 1% 2 Clrw

1.0 Hz 100.0 MHz

Frequency Offset

2 Residual Noise


Trace	Start Offset	Stop Offset	Int PHN	PM	FM	Jitter
T2	1.00 Hz	100.00 MHz	-41.60 dBc	674.03 m° / 11.76 mrad	591.17 kHz	37.37 ps
T1	1.00 kHz	10.00 kHz	-90.38 dBc	2.45 m° / 42.78 μrad	214.54 mHz	135.91 fs
T1	1.00 kHz	1.00 MHz	-80.41 dBc	7.73 m° / 134.87 μrad	56.69 Hz	428.46 fs

3 Spot Noise

Type	Offset Frequency [T2]	Phase Noise [T2]
Fixed	1.00 Hz	-67.36 dBc/Hz
Fixed	10.00 Hz	-90.37 dBc/Hz
Fixed	100.00 Hz	-113.81 dBc/Hz
Fixed	1.00 kHz	-123.20 dBc/Hz
Fixed	10.00 kHz	-133.91 dBc/Hz
Fixed	100.00 kHz	-138.88 dBc/Hz
Fixed	1.00 MHz	-144.32 dBc/Hz
Fixed	10.00 MHz	-152.99 dBc/Hz
User 1	90.00 MHz	-155.73 dBc/Hz
Fixed	100.00 MHz	-118.30 dBc/Hz

Ready

19.04.2021 19:14:16



2 Residual Noise						
Trace	Start Offset	Stop Offset	Int PHN	PM	FM	Jitter
T2	1.00 Hz	100.00 MHz	-41.60 dBc	674.03 m° / 11.76 mrad	591.17 kHz	37.37 ps
T1	1.00 kHz	10.00 kHz	-90.38 dBc	2.45 m° / 42.78 µrad	214.54 mHz	135.91 fs
T1	1.00 kHz	1.00 MHz	-80.41 dBc	7.73 m° / 134.87 µrad	56.69 Hz	428.46 fs

3 Spot Noise		
Type	Offset Frequency [T2]	Phase Noise [T2]
Fixed	1.00 Hz	-67.36 dBc/Hz
Fixed	10.00 Hz	-90.37 dBc/Hz
Fixed	100.00 Hz	-113.81 dBc/Hz
Fixed	1.00 kHz	-123.20 dBc/Hz
Fixed	10.00 kHz	-133.91 dBc/Hz
Fixed	100.00 kHz	-138.88 dBc/Hz
Fixed	1.00 MHz	-144.32 dBc/Hz
Fixed	10.00 MHz	-152.99 dBc/Hz
User 1	90.00 MHz	-155.73 dBc/Hz
Fixed	100.00 MHz	-118.30 dBc/Hz

