







2 Residual Noise						
Trace	Start Offset	Stop Offset	Int PHN	PM	FM	Jitter
T2	1.00 Hz	100.00 MHz	-28.19 dBc	3.16 ° / 55.11 mrad	1.55 MHz	17.54 ps
T1	1.00 kHz	10.00 kHz	-65.93 dBc	40.94 m° / 714.53 μrad	4.49 Hz	227.40 fs
T1	1.00 kHz	1.00 MHz	-57.20 dBc	111.88 m° / 1.95 mrad	115.23 Hz	621.43 fs

3 Spot Noise		
Type	Offset Frequency [T2]	Phase Noise [T2]
Fixed	1.00 Hz	-48.20 dBc/Hz
Fixed	10.00 Hz	-81.87 dBc/Hz
Fixed	100.00 Hz	-102.18 dBc/Hz
Fixed	1.00 kHz	-102.76 dBc/Hz
Fixed	10.00 kHz	-104.43 dBc/Hz
Fixed	100.00 kHz	-117.68 dBc/Hz
Fixed	1.00 MHz	-142.57 dBc/Hz
Fixed	10.00 MHz	-143.55 dBc/Hz
User 1	90.00 MHz	-148.01 dBc/Hz
Fixed	100.00 MHz	-142.83 dBc/Hz

