







2 Residual Noise						
Trace	Start Offset	Stop Offset	Int PHN	PM	FM	Jitter
T2	1.00 Hz	100.00 MHz	-20.63 dBc	7.54 ° / 131.51 mrad	3.47 MHz	7.48 ps
T1	1.00 kHz	10.00 kHz	-53.07 dBc	179.90 m° / 3.14 mrad	19.41 Hz	178.46 fs
T1	1.00 kHz	1.00 MHz	-43.40 dBc	548.11 m° / 9.57 mrad	515.42 Hz	543.74 fs

3 Spot Noise		
Type	Offset Frequency [T2]	Phase Noise [T2]
Fixed	1.00 Hz	-37.79 dBc/Hz
Fixed	10.00 Hz	-71.67 dBc/Hz
Fixed	100.00 Hz	-87.13 dBc/Hz
Fixed	1.00 kHz	-92.75 dBc/Hz
Fixed	10.00 kHz	-90.93 dBc/Hz
Fixed	100.00 kHz	-103.45 dBc/Hz
Fixed	1.00 MHz	-136.06 dBc/Hz
Fixed	10.00 MHz	-142.65 dBc/Hz
User 1	90.00 MHz	-145.54 dBc/Hz
Fixed	100.00 MHz	-143.67 dBc/Hz

