







2 Residual Noise						
Trace	Start Offset	Stop Offset	Int PHN	PM	FM	Jitter
T2	1.00 Hz	100.00 MHz	-27.44 dBc	3.44 ° / 60.04 mrad	2.24 MHz	2.28 ps
T1	1.00 kHz	10.00 kHz	-48.73 dBc	296.45 m° / 5.17 mrad	32.20 Hz	196.06 fs
T1	1.00 kHz	1.00 MHz	-39.55 dBc	853.77 m° / 14.90 mrad	804.48 Hz	564.65 fs

3 Spot Noise		
Type	Offset Frequency [T2]	Phase Noise [T2]
Fixed	1.00 Hz	-37.29 dBc/Hz
Fixed	10.00 Hz	-69.82 dBc/Hz
Fixed	100.00 Hz	-82.24 dBc/Hz
Fixed	1.00 kHz	-86.13 dBc/Hz
Fixed	10.00 kHz	-87.40 dBc/Hz
Fixed	100.00 kHz	-100.03 dBc/Hz
Fixed	1.00 MHz	-129.68 dBc/Hz
Fixed	10.00 MHz	-112.56 dBc/Hz
User 1	90.00 MHz	-120.38 dBc/Hz
Fixed	100.00 MHz	-119.98 dBc/Hz

