







2 Residual Noise						
Trace	Start Offset	Stop Offset	Int PHN	PM	FM	Jitter
T2	1.00 Hz	100.00 MHz	-18.40 dBc	9.74 ° / 170.00 mrad	4.60 MHz	5.31 ps
T1	1.00 kHz	10.00 kHz	-47.19 dBc	354.26 m° / 6.18 mrad	38.25 Hz	192.95 fs
T1	1.00 kHz	1.00 MHz	-38.26 dBc	990.27 m° / 17.28 mrad	797.35 Hz	539.35 fs

3 Spot Noise		
Type	Offset Frequency [T2]	Phase Noise [T2]
Fixed	1.00 Hz	-28.00 dBc/Hz
Fixed	10.00 Hz	-65.30 dBc/Hz
Fixed	100.00 Hz	-79.77 dBc/Hz
Fixed	1.00 kHz	-89.42 dBc/Hz
Fixed	10.00 kHz	-87.28 dBc/Hz
Fixed	100.00 kHz	-100.93 dBc/Hz
Fixed	1.00 MHz	-133.35 dBc/Hz
Fixed	10.00 MHz	-136.10 dBc/Hz
User 1	90.00 MHz	-136.03 dBc/Hz
Fixed	100.00 MHz	-111.98 dBc/Hz

