




| 2 Residual Noise |              |             |            |                        |            |           |
|------------------|--------------|-------------|------------|------------------------|------------|-----------|
| Trace            | Start Offset | Stop Offset | Int PHN    | PM                     | FM         | Jitter    |
| T2               | 1.00 Hz      | 100.00 MHz  | -63.85 dBc | 51.99 m° / 907.47 µrad | 23.38 kHz  | 288.86 fs |
| T1               | 1.00 kHz     | 10.00 kHz   | -82.54 dBc | 6.05 m° / 105.59 µrad  | 533.05 mHz | 33.61 fs  |
| T1               | 1.00 kHz     | 1.00 MHz    | -66.40 dBc | 38.77 m° / 676.73 µrad | 126.64 Hz  | 215.41 fs |

| 3 Spot Noise |                         |                    |
|--------------|-------------------------|--------------------|
| Type         | Offset Frequency [ T2 ] | Phase Noise [ T2 ] |
| Fixed        | 1.00 Hz                 | -70.92 dBc/Hz      |
| Fixed        | 10.00 Hz                | -90.73 dBc/Hz      |
| Fixed        | 100.00 Hz               | -103.99 dBc/Hz     |
| Fixed        | 1.00 kHz                | -116.10 dBc/Hz     |
| Fixed        | 10.00 kHz               | -124.27 dBc/Hz     |
| Fixed        | 100.00 kHz              | -124.47 dBc/Hz     |
| Fixed        | 1.00 MHz                | -138.54 dBc/Hz     |
| Fixed        | 10.00 MHz               | -145.84 dBc/Hz     |
| User 1       | 90.00 MHz               | -149.96 dBc/Hz     |
| Fixed        | 100.00 MHz              | -151.07 dBc/Hz     |