




2 Residual Noise						
Trace	Start Offset	Stop Offset	Int PHN	PM	FM	Jitter
T2	1.00 Hz	100.00 MHz	-25.25 dBc	4.43 ° / 77.28 mrad	3.94 MHz	245.99 ps
T1	1.00 kHz	10.00 kHz	-91.84 dBc	2.07 m° / 36.19 μrad	183.18 mHz	115.18 fs
T1	1.00 kHz	1.00 MHz	-69.36 dBc	27.58 m° / 481.28 μrad	63.71 Hz	1.53 ps

3 Spot Noise		
Type	Offset Frequency [T2]	Phase Noise [T2]
Fixed	1.00 Hz	-90.29 dBc/Hz
Fixed	10.00 Hz	-108.74 dBc/Hz
Fixed	100.00 Hz	-116.16 dBc/Hz
Fixed	1.00 kHz	-125.56 dBc/Hz
Fixed	10.00 kHz	-133.96 dBc/Hz
Fixed	100.00 kHz	-132.71 dBc/Hz
Fixed	1.00 MHz	-143.55 dBc/Hz
Fixed	10.00 MHz	-150.52 dBc/Hz
User 1	90.00 MHz	-152.93 dBc/Hz
Fixed	100.00 MHz	-97.72 dBc/Hz