




2 Residual Noise						
Trace	Start Offset	Stop Offset	Int PHN	PM	FM	Jitter
T2	1.00 Hz	100.00 MHz	-68.44 dBc	30.66 m° / 535.04 µrad	11.89 kHz	340.62 fs
T1	1.00 kHz	10.00 kHz	-86.57 dBc	3.80 m° / 66.34 µrad	346.25 mHz	42.23 fs
T1	1.00 kHz	1.00 MHz	-73.34 dBc	17.44 m° / 304.31 µrad	133.48 Hz	193.73 fs

3 Spot Noise		
Type	Offset Frequency [T2]	Phase Noise [T2]
Fixed	1.00 Hz	-81.67 dBc/Hz
Fixed	10.00 Hz	-98.90 dBc/Hz
Fixed	100.00 Hz	-109.73 dBc/Hz
Fixed	1.00 kHz	-120.62 dBc/Hz
Fixed	10.00 kHz	-130.52 dBc/Hz
Fixed	100.00 kHz	-129.79 dBc/Hz
Fixed	1.00 MHz	-148.59 dBc/Hz
Fixed	10.00 MHz	-131.24 dBc/Hz
User 1	90.00 MHz	-157.63 dBc/Hz
Fixed	100.00 MHz	-145.95 dBc/Hz